

Inside Quality Evaluation of Fruit by X-ray Images

Introduction

The world is worrying about the quality of food supply. Because....

- The pesticide residue on imported food
- The toxic material by the microorganism
- The camouflage foods
- The BSE problem

.....etc.

As a solution...

**Construction of food traceability
system**

What is Food Traceability System

The traceability is a system to open ***the food history*** of agricultural products and to keep food ***Safety***.


Food history items

When was chemical sprayed?

When was the seed scattered?

When was it harvested?


Who is farm producer? etc.



information-added agro-product

Internal quality is one of the information


The X-ray emission method



Electromagnetic Wave = X ray

Soft X ray: less than 100keV Tube Voltage

Energy of soft X ray: 0.1-2 keV






The safety of X-ray

“**Healthiness**” is a comprehensive safety concept in which includes poisonous safety, microbiological safety, and nutriological qualification of irradiated food.

International conference (JECFI) organized by World Health Organization (WHO), the United Nations Food and Agriculture Organization (FAO), and the International Atomic Energy Agency (IAEA) reported “**No toxicological hazard is observed in any 10kGy irradiation food.**” in 1981.

Area sensor system



Output Voltage and current: 60keV, 3mA

Materials



Side view



Side view




Top view

Sample fruit orientation

Three varieties of fruits were used;

63 apples of “*San-Tsugaru*”, 41 pears of “*Kosui*”,
and 50 peaches of “*Akatsuki*”

Valuation method




Experimental result (sprit-pit of peach)




(a) Appearance



(b) Cut sample (Sprit-pit)



(c) Side view



(d) Top view


Gray level distribution with a split-pit of peach.

		Minimum	Maximum	Average	Dispersion
Sprit-pit	Top view	8.0	57.1	21.3	<u>24.8</u>
	Side view	6.4	49.1	19.1	13.4
Normal-pit	Top view	7.0	37.5	19.2	10.3
	Side view	5.3	33.0	17.3	9.9

Gray level distribution with a rotten core of pear.

	Minimum	Maximum	Average	Dispersion
Rotten core	9.5	44.5	23.6	<u>28.7</u>
Crack	12	39.9	25.5	13.0
Normal	9.0	43.7	21.5	14.2



Line sensor system



Output Voltage: 70-100keV


Output current: 1-3 mA

Transmittance Image




Holder


Rotten core




Transmittance images when X-ray power changed




(a) 70keV




(b) 80keV



(e) 1mA




(f) 2mA




(g) 3mA


70keV



(c) 90keV



(d) 100keV




70keV, 3mA is suitable for apple

Disease of flesh



(a)



(b)



(c)

X ray was not efficient for this flesh disease because of no enough change of water content for transmittance image.

X-ray CT



The appearance

(Toshiba, TOSCANER-20000)





Control unit

[experimental set up]

Single slice, Slice width:2mm, Matrix size:512x512pixel, Area:300mm, 150kV, 3mA


CT image of peach



Low CT value (red part)

sprit-pit

CT image of apple



High water content

CT image of lignified sample




appearance






Same sample



Rotten core sample



Defect by an injurious insect




Water core of apple



Water core

CT numbers distribution

High CT number means high water content.



Conclusion

X-ray was efficient as an internal fruit quality evaluation method.

Fluoroscope image of X-ray quickly gave information of inside split-pit of peach and of rotten core of pear. (But, slight water content change could not be detected.)

X-ray CT image gave water content distribution and internal structure of fruit. (But, long time is necessary to scan.)

Optimum agricultural product inspection system of combining these X-ray methods, UV, color and infrared TV cameras is desired.